

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	350	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM aix) near3 console) and ((model definition management) near8 object) and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:25
S2	8	S1 and MOF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:22
S3	2	S2 not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:26
S4	5	S1 not (Barker.in. and "Business Machines".as.) and (console same plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:22
S6	12	("6134559" or "6125442" or "6118446" or "6115646" or "5970490" or "5872966").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:23
S7	26	("5317742" or "5237688" or "6085196" or "6008805" or "5652884" or "6157953" or "6108712" or "6161126" or "6144962" or "6035119" or "5958008" or "5870559" or "5829053").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:02
S8	1	(S6 or S7) and (managed near3 object) and select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:07
S9	27	("6708074" or "6252593" or "20030095142" or "20020107872" or "20030135648" or "20030110073" or "20020069275" or "20030018964" or "20030095145" or "20040015889" or "20020140743" or "20030177477" or "20020091809").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:07

S10	6	S9 and (managed near3 object) and select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:12
S14	10	S9 not S10 and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:19
S15	410	(select\$4 near6 plug-in) and (select\$5 same (console MOF interface "managed object"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:40
S16	350	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM aix) near3 console) and ((model definition management) near8 object) and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:37
S17	7	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:22
S18	2	S17 not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:47
S19	350	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM aix) same console) and S16 and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:31
S20	2	(S15 and S19) not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:47
S21	14	(plug-in near8 (build\$4 or process or manufactur\$5)) and (management near3 definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:29

S22	747	(@ad<="20020117" or @rlad<="20020117") not (Barker.in. and "Business Machines".as.) and MOF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:29
S24	31	S22 and (management same definition) and ((object method class interface) near8 select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:31
S26	13	(@ad<="20020117" or @rlad<="20020117") and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:32
S28	8	S26 not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:33
S29	512	(@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM AIX) same console) and ((model definition management) near8 object) and (select\$5 near8 (method plug-in class file console interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:48
S30	3	S15 not (Barker.in. and "Business Machines".as.) and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:44
S31	343	S19 not (Barker.in. and "Business Machines".as.) and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:42
S32	123	S31 and plug-in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:42
S33	1	(MOF near5 convert\$4) same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:49

S34	29	(WMI CIM).ab. and ((COM MOF) or plugin or plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:55
S35	25	S34 not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:47
S36	17	S35 and (@ad<="20020117" or @rlad<="20020117")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:54
S40	1	S36 and (extension adj schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:52
S41	123	S31 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:54
S42	123	S41 and ((COM MOF) or plugin or plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:55
S43	123	S41 and ((CIM WMI COM) or plugin or plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:56
S44	27	S41 and ((CIM WMI COM) and (plugin or plug-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:57
S45	11	S44 and (console same select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15

S47	350	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM aix) near3 console) and ((model definition management) near8 object) and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:45
S48	350	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM aix) same console) and S47 and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15
S49	512	((@ad<="20020117" or @rlad<="20020117") and ((Management Tivoli AS/400 WebSM AIX) same console) and ((model definition management) near8 object) and (select\$5 near8 (method plug-in class file console interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15
S50	343	S48 not (Barker.in. and "Business Machines".as.) and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:45
S51	123	S50 and plug-in	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15
S52	123	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15
S53	27	S52 and ((CIM WMI COM) and (plugin or plug-in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:15
S54	11	S53 and (console same select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:17

S55	24	(US-20010042118-\$ or US-20020087479-\$ or US-20020099556-\$ or US-20030177477-\$ or US-20020091809-\$ or US-20030095145-\$ or US-20020140743-\$ or US-20030135648-\$ or US-20030055948-\$).did. or (US-6311321-\$ or US-6553377-\$ or US-6115646-\$ or US-5872966-\$ or US-5829053-\$ or US-5652884-\$ or US-5317742-\$ or US-6708074-\$ or US-6714976-\$ or US-6718535-\$ or US-6567808-\$ or US-6502102-\$ or US-6317748-\$).did. or (US-20030095145-\$ or US-20040249926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/01 12:15
S58	1	S55 and CIM and console and (metadata or MOF) and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:10
S59	3	S55 and (plug-in or plugin) and (metadata or MOF) and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:43
S61	1	S55 and select\$4 and console and CIM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:09
S62	105	(CIM or COM or MMC or DMTF) and (select\$4 near7 plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:44
S63	76	(@ad<="20020117" or @rlad<="20020117") and S62 not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:10
S67	2	S63 and (select\$5 same console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 12:47
S68	374	(schema layer) same CIM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:09

S69	310	S68 and (@ad<="20020117" or @rlad<="20020117") not (Barker. in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:10
S70	1	S69 and CIM and console and (metadata or MOF) and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 13:10
S72	26	(US-20010042118-\$ or US-20020087479-\$ or US-20020091809-\$ or US-20020099556-\$ or US-20020140743-\$ or US-20020173997-\$ or US-20030055948-\$ or US-20030095145-\$ or US-20030105732-\$ or US-20030135648-\$ or US-20030177477-\$).did. or (US-5317742-\$ or US-5652884-\$ or US-5829053-\$ or US-5872966-\$ or US-6115646-\$ or US-6311321-\$ or US-6317748-\$ or US-6502102-\$ or US-6553377-\$ or US-6567808-\$ or US-6708074-\$ or US-6714976-\$ or US-6718535-\$).did. or (US-20030095145-\$ or US-20040249926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/02 11:55
S74	3	S72 and (console same select\$4) and (console near3 (property attribute specification model characteristic method class functionality))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:42
S75	117	(management same object) and (console same select\$4) and (console near3 (property attribute specification model characteristic method class functionality))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:44
S76	11	S75 and (CIM WMI COM MMC) and (plugin or plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:27
S82	9	S76 and (@ad<="20020117")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:26

S83	96	S75 not (Barker.in. and "Business Machines".as.) and (@ad<="20020117" or @rlad<="20020117")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:31
S85	3	S83 and (CIM WMI COM MMC) and (: plugin or plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:44
S86	6	(S76 or S82) and console and MOF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:31
S88	27	(US-20010042118-\$ or US-20020087479-\$ or US-20020091809-\$ or US-20020099556-\$ or US-20020140743-\$ or US-20020173997-\$ or US-20030055948-\$ or US-20030095145-\$ or US-20030105732-\$ or US-20030135648-\$ or US-20030177477-\$ or US-20020091819-\$).did. or (US-5317742-\$ or US-5652884-\$ or US-5829053-\$ or US-5872966-\$ or US-6115646-\$ or US-6311321-\$ or US-6317748-\$ or US-6502102-\$ or US-6553377-\$ or US-6567808-\$ or US-6708074-\$ or US-6714976-\$ or US-6718535-\$).did. or (US-20030095145-\$ or US-20040249926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/02 12:32
S89	11	S88 and (MOF UML) and ((plug-in and console) or (MMC CIM WMI))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:33
S92	4	S88 and (console same select\$4) and (console near3 (property attribute specification model characteristic method class functionality))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:43
S93	4	(management same object) and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:44

S95	3	S92 and (CIM WMI COM MMC) and (plugin plug-in snap-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:35
S96	27	(US-20010042118-\$ or US-20020087479-\$ or US-20020091809-\$ or US-20020099556-\$ or US-20020140743-\$ or US-20020173997-\$ or US-20030055948-\$ or US-20030095145-\$ or US-20030105732-\$ or US-20030135648-\$ or US-20030177477-\$ or US-20020091819-\$).did. or (US-5317742-\$ or US-5652884-\$ or US-5829053-\$ or US-5872966-\$ or US-6115646-\$ or US-6311321-\$ or US-6317748-\$ or US-6502102-\$ or US-6553377-\$ or US-6567808-\$ or US-6708074-\$ or US-6714976-\$ or US-6718535-\$).did. or (US-20030095145-\$ or US-20040249926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/02 16:35
S97	0	S96 and (CIM WMI COM MMC) and (plugin plug-in snap-in) and MOF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:40
S98	8	S96 and (CIM WMI COM MMC) and MOF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:45

S99	27	(US-20010042118-\$ or US-20020087479-\$ or US-20020091809-\$ or US-20020091819-\$ or US-20020099556-\$ or US-20020140743-\$ or US-20020173997-\$ or US-20030055948-\$ or US-20030095145-\$ or US-20030105732-\$ or US-20030135648-\$ or US-20030177477-\$).did. or (US-5317742-\$ or US-5652884-\$ or US-5829053-\$ or US-5872966-\$ or US-6115646-\$ or US-6311321-\$ or US-6317748-\$ or US-6502102-\$ or US-6553377-\$ or US-6567808-\$ or US-6708074-\$ or US-6714976-\$ or US-6718535-\$).did. or (US-20030095145-\$ or US-20040249926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/02/04 08:41
S100	2	S99 and (Agahotri or Patrizio).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:41
S101	3	S99 and (("national language") or NLS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:03
S103	39	(NLS or ("national language")) and (CIM WMI COM MMC) and (plug-in MOF UML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:13
S104	28	S103 and (@ad<="20020117" or @rlad<="20020117") not (Barker. in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:04
S105	2	S104 and "National Language"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:55
S106	2	S104 and "national language"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 08:55

S107	23	media and (distribut\$4 or delivery) and plug-in and (NLS and (National adj language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:05
S108	17	S107 and (@ad<="20020117" or @rlad<="20020117") not (Barker. in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:15
S109	4	S108 not (@pd>"20020117" and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:00
S112	15827	database.ab. and (("national language") or NLS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:04
S113	12059	S112 and (@ad<="20020117" or @rlad<="20020117") not (Barker. in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:04
S114	13	(management media framework development cluster) and (distribut\$4 or delivery) and plug-in and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:06
S115	12	S113 and (MOF plug-in) and (NLS or "natural language") and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:09
S116	13	S113 and (MOF plug-in) and (NLS or "national language") and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:10
S117	2	S116 and "national language" and (user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:11
S118	24	NLS and "national language" and (plug-in MOF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:11

S11 9	18	S118 and (@ad<="20020117" or @riad<="20020117") not (Barker.in. and "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:25
S12 1	27	S104 and (NLS or ("national language")) and (CIM WMI COM MMC) and (plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:14
S12 3	5	(NLS and ("national language")) and (CIM WMI COM MMC) and (plug-in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:15
S12 6	16	S119 and plug-in and (WMI CIM MMC WBEM WEBTM (management near2 object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:24
S12 7	16	S126 not "electronic content".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:24
S12 8	0	S126 not "electronic content"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:24
S12 9	1	S126 not (Barker.in. or "Business Machines".as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:55
S13 0	0	S99 and (MOF and IDL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:55
S13 1	49	(management near3 object) and (MOF and IDL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 09:56